

Publications of David Bol

PAPERS IN SCIENTIFIC JOURNALS

- C. Gimeno, D. Bol and D. Flandre, "Multilevel Half-Rate Phase Detector for Clock and Data Recovery Circuits", in *IEEE Trans. VLSI Systems*, vol. 26, no. 9, pp. 1807-1811, 2018.
- C. Gimeno, D. Flandre and D. Bol, "Analysis and Specification of an IR-UWB Transceiver for High-Speed Chip-to-Chip Communication in a Server Chassis", in *IEEE Trans. Circuits and Systems I*, vol. 65, pp. 2015-2023, 2018.
- F. Stas and D. Bol, "A 0.4-V 0.66-fJ/Cycle Retentive True-Single-Phase-Clock 18T Flip-Flop in 28-nm Fully-Depleted SOI CMOS" in *IEEE Trans. Circuits and Systems I*, vol. 65, pp. 935-945, 2018.
- J. Aguirre, D. Bol, D. Flandre and C. Sánchez-Azqueta, "A robust 10 Gbps duobinary transceiver in 0.13 μm SOI CMOS for short-haul optical networks", in *IEEE Trans. Industrial Electronics*, vol. 65, pp. 1518-1525, 2018.
- G. de Streel, F. Stas, T. Gurné, F. Durant, C. Frenkel, A. Cathelin and D. Bol, "SleepTalker: A ULV 802.15.4a IR-UWB Transmitter SoC in 28-nm FDSOI Achieving 14 pJ/b at 27 Mb/s With Channel Selection Based on Adaptive FBB and Digitally Programmable Pulse Shaping", in *IEEE J. Solid-State Circuits*, vol. 52, pp. 1163-1177, 2017.
- S. Bernard, M. Belleville, J.-D. Legat, A. Valentian and D. Bol, "Ultra-wide voltage range pulse-triggered flip-flops and register file with tunable energy-delay target in 28 nm UTBB-FDSOI", in *Elsevier Microelectronics Journal*, vol. 57, pp. 77-86, 2016.
- N. Couniot, G. de Streel, F. Botman, A. Kuti Lusala, D. Flandre and D. Bol, "A 65 nm 0.5 V DPS CMOS Image Sensor With 17 pJ/Frame.Pixel and 42 dB Dynamic Range for Ultra-Low-Power SoCs", in *IEEE J. Solid-State Circuits*, vol. 50, no. 12, pp. 2419-2430, 2015.
- N. Couniot, D. Bol, O. Poncelet, L. Francis and D. Flandre, "A Capacitance-to-Frequency Converter with On-Chip Passivated Microelectrodes for Bacteria Detection in Saline Buffers up to 575 MHz", in *IEEE Trans. Circuits and Systems-II*, vol. 62, no. 2, pp. 159-163, 2015.
- F. Botman, D. Bol, J.-D. Legat and K. Roy, "Data-dependent operation speed-up through automatically inserted signal transition detectors for ultra-low voltage logic circuits", in *IEEE Trans. VLSI Systems*, vol. 22, no. 12, pp. 2561-2570, 2014.
- G. de Streel and D. Bol, "Study of back biasing schemes for ULV logic from the gate level to the IP level" in *MDPI J. Low-Power Electronics and Applications*, vol. 4, no. 1, pp. 168-187, 2014.
- A. Barengi, C. Hocquet, D. Bol, F.-X. Standaert, F. Regazzoni and I. Koren, "Combined Design-Time/Test-Time Study of the Vulnerability of Sub-Threshold Devices to Low Voltage Fault Attacks", in *IEEE Trans. Emerging Topics in Computing*, vol. 2, no. 2, pp. 107-118, 2014.
- J. De Vos, D. Flandre and D. Bol, "A sizing methodology for on-chip switched-capacitor DC/DC converters", in *IEEE Trans. Circuits and Syst. I*, vol. 61, no. 5, pp. 1597-1606, 2014.
- S. Bernard, A. Valentian, D. Bol, J.-D. Legat and M. Belleville, "Robust and Energy Efficient Pulse-Triggered Flip-Flop Design for Ultra Low Voltage Operations", in *ASP J. Low Power Electronics*, vol. 10, pp. 1-9, 2014.
- D. Bol, J. De Vos, C. Hocquet, F. Botman, F. Durvaux, S. Boyd, D. Flandre and J.-D. Legat, "SleepWalker: a 25-MHz 0.4-V sub-mm² 7- μW /MHz microcontroller in 65-nm LP/GP CMOS for low-carbon wireless sensor nodes", in *IEEE J. Solid-State Circuits*, vol. 48, no. 1, pp. 20-32, 2013.
- V. Kilchytska, D. Bol, J. De Vos, F. Andrieu and D. Flandre, "Quasi-double gate regime to boost UTBB SOI MOSFET performance in analog and sleep transistor applications", in *Elsevier Solid-State Electronics*, vol. 84, pp. 28-37, 2013.
- D. Bol, C. Hocquet and F. Regazzoni, "A fast ULV logic synthesis flow in many-V_t CMOS processes for minimum energy under timing constraints", in *IEEE Trans. Circuits and Syst. II*, vol. 59, no. 12, pp. 947-951, 2012.
- D. Kamel, M. Renaud, D. Bol, F.-X. Standaert and D. Flandre, "Analysis of dynamic differential swing limited logic for low-power secure applications", in *MDPI J. Low-Power Electronics and Applications*, vol. 2, no. 1, pp. 98-126, 2012.
- J. De Vos, D. Flandre and D. Bol, "Pushing Adaptive Voltage Scaling Fully On Chip", in *AP J. Low-Power Electronics*, vol. 8, no. 1, pp. 95-112, 2012.

- D. Bol, “Robust and energy-efficient ultra-low-voltage circuit design under timing constraints in 65/45nm CMOS” (invited), in *MDPI J. Low-Power Electronics and Applications*, vol. 1, no. 1, pp. 1-19, 2011.
- C. Hocquet, D. Kamel, F. Regazzoni, J.-D. Legat, D. Flandre, D. Bol and F.-X. Standaert, “Harvesting the potential of nano-CMOS for lightweight cryptography: An ultra-low-voltage 65 nm AES coprocessor for passive RFID tags”, in *Springer J. Cryptographic Engineering*, vol. 1, no. 1, pp. 79-86, 2011.
- D. Bol, D. Flandre and J.-D. Legat, “Nanometer MOSFET effects on the minimum-energy point of sub-45nm subthreshold logic—Mitigation at technology and circuit levels”, in *ACM Trans. Design Automation of Electronic Syst.*, vol. 16, no. 1, pp. 2-26, 2010.
- D. Bol, R. Ambroise, D. Flandre and J.-D. Legat, “Interests and limitations of technology scaling for subthreshold logic”, in *IEEE Trans. VLSI Systems*, vol. 17, no. 10, pp. 1508-1519, 2009.
- D. Bol, J. De Vos, R. Ambroise, D. Flandre and J.-D. Legat, “Building ultra-low-power high-temperature digital circuits in standard high-performance SOI technology”, in *Solid-State Electronics*, vol. 52, no. 8, pp. 1939-1945, 2008.
- D. Bol, I. Hassoune, D. Levacq, D. Flandre and J.-D. Legat: “Efficient Multiple-Valued Signed-Digit Full Adder Based on NDR MOS structures”, in *Journal of Multiple-Valued Logic and Soft Computing*, vol. 13, pp. 61-76, 2007.
- Ph. Manet, R. Ambroise, D. Bol, M. Baltus and J.-D. Legat: “Low power techniques applied to a 80C51 microcontroller for high temperature applications”, in *Journal of Low Power Electronics*, vol. 2, no 1, pp. 95-104, 2006.
- I. Hassoune, A. Drummond, A. Gaudissart, D. Bol, D. Levacq, D. Flandre and J.-D. Legat: “A new multi-valued current-mode adder based on negative-differential resistance using ULP diodes”, in *Solid-State Electronics*, vol. 49, pp. 1185-1191, 2005.

BOOK CHAPTER

- D. Bol, “Ultra-low-voltage design of nanometer CMOS circuits for smart energy-autonomous systems”, in *Advanced Circuits for Emerging Technologies*, K. Iniewski (Ed.), pp. 57-83, Wiley, 2012.

PATENTS

- D. Bol and N. Couniot, “Image sensor”, US patent US9743023B2, 2017.
- D. Bol and N. Couniot, “Image sensor”, US patent US9807326B2, 2017.
- D. Bol, D. Flandre and J.-D. Legat, “Ultra-low-power circuits”, GB patent GB0708324D0, 2007, European patent EP2151056A1, 2008 and US patent US8294492B2, 2010.

INVITED TUTORIALS AND KEYNOTES

- D. Bol, “Ultra-low-power wireless communications for IoT smart sensors”, invited in the “Sensors and Energy Harvesting” tutorial of IEEE European Solid-State Circuits Conf., 2018.
- D. Bol, “Electrical power consumption of the Internet: use cases and sustainability challenges”, in Sustainable IoT Workshop of the European Nanoelectronics Consortium for Sustainability (ENCOS), 2018.
- D. Bol, “Ultra-Low-Power SoCs for Local Sensor Data Processing”, invited in the forum “Intelligent Energy-Efficient Systems at the Edge of IoT” of IEEE Int. Solid-State Circuits Conf., 2018.
- D. Flandre, V. Kilchytska, C. Gimeno, D. Bol, B. Kazemi, J.-P. Raskin, “Measurement and modelling of specific behaviors in 28nm FDSOI UTBB MOSFETs of importance for analog / RF amplifiers”, in MOS-AK workshop, 2017.
- D. Bol, “Notre usage d’Internet: écologiquement irresponsable?”, in *Midis de l’Éthique*, UCL, 2017.
- D. Bol, G. de Streel and D. Flandre, “Can We Connect Trillions of IoT Sensors in a Sustainable Way ? A Technology/Circuit Perspective”, (invited in the Hot-Topic Session) in *Proc. IEEE SOI-3D-Subthreshold Microelectronics Tech. Unified Conf.*, 3 p., 2015.
- G. de Streel and D. Bol, “Opportunities of 28nm FDSOI for ultra-low-voltage SoCs towards a sustainable Internet-of-Things”, at Leti Workshop FDSOICE, 2015.
- D. Flandre, V. Kilchytska, D. Bol, L. Francis, N. André and J.-P. Raskin, “Analog/RF, sensors and MEMS in SOI demos and performance assessment”, in SOI Workshop Dresden, 2015.

- D. Flandre and D. Bol, "Designing robust subthreshold and ultra-low-voltage mixed-signal circuits against process variations, temperature and radiation effects", in *Sub-Vt Fundamental Class of the IEEE SOI-3D-Subthreshold Microelectronics Tech. Unified Conf.*, 2014.
- D. Bol, "Green SoCs for a Sustainable Internet-of-Things", in *CMOS Emerging Technologies Research Conf.*, 2014.
- J. De Vos, D. Flandre and D. Bol, "Switched-capacitor DC/DC converters for empowering Internet-of-Things SoCs", 4 p., in *Proc. IEEE FTFC Conference*, 2014.
- D. Bol, J. De Vos, F. Botman, G. de Streel, S. Bernard, D. Flandre and J.-D. Legat, "Green SoCs for a Sustainable Internet-of-Things", 4 p., in *Proc. IEEE FTFC conference*, 2013.
- D. Flandre, O. Bulteel, G. Gosset, P.-A. Haddad, S. Bernard, B. Rue and D. Bol, "Ultra-low-power analog and digital circuits and Microsystems using disruptive ultra-low-leakage design techniques", *Int. Caribbean Conf. on Devices, Circuits and Syst.*, 2012.
- D. Flandre, O. Bulteel, G. Gosset, B. Rue and D. Bol, "Disruptive design techniques based on ultra-low-leakage CMOS blocks for ultra-low-power circuits and microsystems", *VII Workshop on Semiconductor and Micro & Nano Technology*, 2012.
- D. Flandre, O. Bulteel, G. Gosset, B. Rue and D. Bol, "Disruptive ultra-low-leakage design techniques for ultra-low-power CMOS circuits", *CMOS Emerging Technologies Conference*, 2012.
- D. Bol, "Green SoCs for a Sustainable Internet-of-Things World", at *ST Microelectronics Crolles and at CSEM Neuchâtel*, 2012.
- D. Bol, "Electronics and the Environment – An Introduction", at *Université catholique de Louvain*, 2011.
- D. Flandre, O. Bulteel, G. Gosset, B. Rue and D. Bol, "Disruptive ultra-low-leakage design techniques for ultra-low-power mixed-signal microsystems", *FTFC workshop*, 2011.
- D. Bol, "Ultra-low-voltage design of nanometer CMOS circuits for smart energy-autonomous systems", at the *Berkeley Wireless Research Center weekly seminar*, 2010.
- D. Bol, "Ultra-low-voltage design of nanometer CMOS circuits for low-power heterogeneous embedded systems", at *Ecole d'hiver Francophone sur les Technologies de Conception des Systèmes embarqués Hétérogènes (FETCH)*, 2010.
- D. Bol, "Digital design on SOI in the nanometer era - from high-performance to ultra-low-power circuits", in tutorial on "SOI design" of the *5th Workshop of the Thematic Network on Silicon on Insulator Technology, Devices and Circuits (EuroSOI)*, 2009.
- D. Bol and D. Flandre, "Fully-depleted SOI for nanometer subthreshold circuits", in tutorial on "FD SOI" of the *Thematic Network on Silicon on Insulator Technology, Devices and Circuits (EuroSOI)*, 2008.

CONTRIBUTIONS IN INTERNATIONAL CONFERENCES

- R. Dekimpe, P. Xu, M. Schramme, D. Flandre and D. Bol, "A Battery-less BLE IoT Motion Detector Supplied by 2.45-GHz Wireless Power Transfer", in *Proc. IEEE Power and Timing Modelling Symposium*, 8 p., 2018.
- C. Gimeno, D. Flandre and D. Bol: "Low-Power Half-Rate Dual-Loop Clock-Recovery System in 28-nm FDSOI", in *Proc. IEEE Latin American Symposium on Circuits & Systems*, 4 p., 2018.
- T. Haine, J. Segers, D. Flandre and D. Bol: "Gradient Importance Sampling: an Efficient Statistical Extraction methodology of High-Sigma SRAM Dynamic Characteristics", in *Proc. Design, Automation and Test in Europe*, 2018.
- C. Frenkel, J.-D. Legat and D. Bol, "A Compact Phenomenological Digital Neuron Implementing the 20 Izhikevich Behaviors", in *Proc. IEEE Biomedical Circuits and Systems Conf. (BioCAS)*, pp. 677-680, 2017.
- C. Gimeno, F. Stas, G. de Streel, D. Bol and D. Flandre, "Improving Noise and Linearity of CMOS Wideband Inductorless Balun LNAs for 10-GHz Software Defined Radios in 28nm FDSOI", in *Proc. IEEE S3S Conf.*, 2 p., 2017.
- P. Xu, C. Gimeno and D. Bol, "Optimizing TSPC Frequency Dividers for Always-On Low-Frequency Applications in 28nm FDSOI CMOS", in *Proc. IEEE S3S Conf.*, 2 p., 2017.
- T. Mesquida, A. Valentian, D. Bol and E. Beigné, "Architecture Exploration of a Fixed Point Computation Unit using Precise Timing Spiking Neurons", in *Proc. Int. Symp. Power and Timing Modeling, Optimization and Simulation (PATMOS)*, 8 p., 2017.

- T. Haine, Q.-K. Nguyen, F. Stas, L. Moreau, D. Flandre and D. Bol, "An 80-MHz 0.4V ULV SRAM macro in 28nm FDSOI achieving 28-fJ/bit access energy with a ULP bitcell and on-chip adaptive back bias generation", in *Proc. IEEE European Solid-State Circ. Conf.*, pp. 241-244, 2017.
- P.-A. Haddad, F. Stas, J.-P. Raskin, D. Bol and D. Flandre, "Automated Layout-integrated Sizing of a 2.45 GHz Differential-Drive Rectifier in 28 nm FDSOI CMOS", in *Proc. IEEE Wireless Power Transfer Conf.*, 4 p., 2017.
- C. Frenkel, G. Indiveri, J.-D. Legat and D. Bol, "A Fully-Synthesizable 20-Gate Digital Synapse with Embedded Online Learning", in *Proc. IEEE Int. Circuits and Syst. Conf.*, pp. 17-20, 2017.
- F. Stas and D. Bol, "A 0.4V 0.08fJ/cycle Retentive True-Single-Phase-Clock 18T Flip-Flop in 28nm FDSOI CMOS", in *Proc. IEEE Int. Circuits and Syst. Conf.*, pp. 2779-2782, 2017.
- F. Stas and D. Bol, "Integration of Level Shifting in a TSPC Flip-Flop for Low-Power Robust Timing Closure in Dual-Vdd ULV Circuits", in *Proc. IEEE Int. Circuits and Syst. Conf.*, pp. 1233-1236, 2017.
- T. Mesquida, A. Valentian, D. Bol and E. Beigné, "Fixed Point Neuro-Inspired DSP Using Spiking Neurons in a GALS Architecture", in *Proc. IEEE Int. Symp. Asynchronous Circuits and Syst.*, 2 p., 2017.
- D. Kamel, G. de Streel, S. Merino Del Pozo, K. Nawaz, F.-X. Standaert, D. Flandre and D. Bol, "Towards Securing Low-Power Digital Circuits with Ultra-Low-Voltage Vdd Randomizers", in *Proc. Int. Conf. Security, Privacy and Applied Cryptographic Engineering (SPACE)*, pp. 233-248, 2016.
- C. Frenkel, J.-D. Legat and D. Bol, "Comparative Analysis of Redundancy Schemes for Soft-Error Detection in Low-Cost Space Applications", in *IFIP/IEEE Int. Conf. Very Large Scale Integration (VLSI-SoC)*, 6 p., 2016.
- T. Mesquida, A. Valentian, D. Bol, E. Beigné, "Impact of the AER-Induced Timing Distortion on Spiking Neural Networks Implementing DSP", in *Proc. Conf. on PhD Research un Microelectronics and Electronics*, 4 p., 2016.
- T. Haine, F. Stas, G. de Streel, C. Gimeno, D. Flandre and D. Bol, "CAMEL: An Ultra-Low-Power VGA CMOS Imager based on a Time-Based DPS Array", in *Proc. ACM Int. Conf. Distributed Smart Cameras*, pp. 155-159, 2016.
- F. Stas, G. de Streel and D. Bol, "Sizing and Layout Integrated Optimizer for 28nm Analog Circuits Using Digital PnR Tools", in *Proc. IEEE Int. New Circuits and Systems Conf. (NEWCAS)*, 4 p., 2016.
- G. de Streel, F. Stas, T. Gurné, F. Durant, C. Frenkel and D. Bol, "SleepTalker: a 28nm FDSOI ULV 802.15.4a IR-UWB Transmitter SoC achieving 14pJ/bit at 27Mb/s with Adaptive-FBB-based Channel Selection and Programmable Pulse Shape", in *Proc. IEEE Symp. VLSI Circuits*, 2 p., 2016.
- D. Bol, G. de Streel and D. Flandre, "Can We Connect Trillions of IoT Sensors in a Sustainable Way? A Technology/Circuit Perspective", (invited in the Hot-Topic Session) in *Proc. IEEE SOI-3D-Subthreshold Microelectronics Tech. Unified Conf.*, 3 p., 2015.
- G. de Streel, D. Flandre, C. Dehollain and D. Bol, "Towards Ultra-Low-Voltage Wideband Noise-Cancelling LNAs in 28nm FDSOI", in *Proc. IEEE SOI-3D-Subthreshold Microelectronics Tech. Unified Conf.*, 2 p., 2015.
- G. de Streel, J. De Vos and D. Bol, "A ΔV_T 0.2V to 1V 0.01mm² 9.7nW Voltage Reference in 65nm LP/GP CMOS", in *Proc. IEEE SOI-3D-Subthreshold Microelectronics Tech. Unified Conf.*, 2 p., 2015.
- D. Bol, E.H. Boufouss, D. Flandre and J. De Vos, "A 0.48mm² 5 μ W-10mW Indoor/Outdoor PV Energy-Harvesting Management Unit in a 65nm SoC based on a Single Bidirectional Multi-Gain/Multi-Mode Switched-Cap Converter with Supercap Storage", in *Proc. European Solid-State Circ. Conf.*, pp. 241-244, 2015.
- C. Frenkel, J.-D. Legat and D. Bol, "Partial reconfiguration-based scheme to mitigate multiple-bit upsets for FPGAs in low-cost space applications", in *Proc. IEEE Int. Symp. Reconfigurable Communication-Centric SoCs*, 7 p., 2015.
- A. Elthakeb, T. Haine, D. Flandre, Y. Ismail, H. Abd Elhamid and D. Bol, "Analysis and Optimization for Dynamic Read Stability in 28nm SRAM Bitcells", in *Proc. IEEE Int Conf. Circuits and Systems*, pp. 1414-1417, 2015.
- S. Clerc, M. Saligane, F. Abouzeid, M. Cochet, J.-M. Daveau, C. Bottoni, D. Bol, J. De Vos, D. Zamora, B. Coeffic, D. Soussan, D. Croain, M. Naceur, P. Schamberger, P. Roche and D. Sylvester, "A 0.33V/-40°C Process/Temperature Closed-Loop Compensation SoC Embedding All-Digital Clock Multiplier and DC-DC Converter Exploiting FDSOI 28nm Back-Gate Biasing", in *Proc. IEEE Int. Solid-State Circuits Conf.*, pp. 150-151, 2015.

- J. De Vos, V. Kilchytska, D. Flandre and D. Bol, "Compensation of Total Ionizing Dose Effects in ULV SoCs Through Adaptive Voltage Scaling", in Proc. *IEEE SOI-3D-Subthreshold Microelectronics Tech. Unified Conf.*, pp. 156-157, 2014.
- M. Turnquist, G. de Streel, D. Bol, M. Hienkari and L. Koskinen, "Effects of Back-Gate Bias on Switched-Capacitor DC-DC Converters in UTBB FD-SOI", in Proc. *IEEE SOI-3D-Subthreshold Microelectronics Tech. Unified Conf.*, pp. 89-90, 2014.
- S. Bernard, M. Belleville, A. Valentian, J.-D. Legat and D. Bol, "Experimental Analysis of Flip-Flops Minimum Operating Voltage in 28nm FDSOI and the Impact of Back Bias and Temperature", in Proc. *Int. Workshop on Power And Timing Modeling, Optimization and Simulation (PATMOS)*, 2014.
- D. Bol, G. de Streel, F. Botman, A. Kuti Lusala and N. Couniot, "A 65-nm 0.5-V 17-pJ/frame.pixel DPS CMOS image sensor for ultra-low-power SoCs achieving 40-dB dynamic range", in Proc. *IEEE Symp. VLSI Circuits*, pp. 180-181, 2014. Acceptance rate: 23%.
- F. Botman, J. de Vos, S. Bernard, F. Stas, J.-D. Legat and D. Bol, "Bellevue: a 50MHz variable-width SIMD 32bit microcontroller at 0.37V for processing-intensive wireless sensor nodes", in Proc. *IEEE Int Conf. Circuits and Systems*, pp. 1207-1210, 2014.
- J. De Vos, D. Flandre and D. Bol, "Switched-capacitor DC/DC converters for empowering Internet-of-Things SoCs", 4 p., in Proc. *IEEE FTFC Conference*, 2014.
- G. de Streel, J. De Vos, D. Flandre and D. Bol, "A 65nm 1V to 0.5V linear regulator with ultra-low quiescent current for mixed-signal ULV SoCs", in Proc. *IEEE FTFC Conference*, 4 p., 2014. This paper was awarded the **Best student IC Design Award** of the conference.
- T. Haine, F. Stas and D. Bol, "Optimization of the area/robustness/speed trade-off in a 28 nm FDSOI latch based on ULP diodes", in Proc. *IEEE FTFC Conference*, 4 p., 2014.
- S. Bernard, A. Valentian, D. Bol, M. Belleville and J.-D. Legat, "Design of a robust and ultra-low-voltage pulse-triggered flip-flop in 28nm UTBB-FDSOI technology", in Proc. *IEEE SOI-3D-Subthreshold Microelectronics Tech. Unified Conf.*, 2013.
- G. de Streel and D. Bol, "Scaling perspectives of ULV microcontroller cores to 28nm UTBB FDSOI CMOS", in Proc. *IEEE SOI-3D-Subthreshold Microelectronics Tech. Unified Conf.*, 2013.
- G. de Streel and D. Bol, "Impact of back gate biasing schemes on energy and robustness of ULV logic in 28nm UTBB FDSOI technology", in Proc. *IEEE/ACM Int. Symposium Low-Power Electronics and Design*, pp. 255-256, 2013. Acceptance rate: 23%.
- S. Bernard, A. Valentian, M. Belleville, D. Bol, J.-D. Legat, "An Efficient Metric of Setup Time for Pulsed Flip-Flops based on Output Transition Time", in Proc. *IEEE Int. Conference on IC Design and Technology*, pp. 9-12, 2013.
- D. Bol, J. De Vos, F. Botman, G. de Streel, S. Bernard, D. Flandre and J.-D. Legat, "Green SoCs for a Sustainable Internet-of-Things", 4 p., in Proc. *IEEE FTFC conference*, 2013.
- F. Stas, A. Kuti Lusala, J.-D. Legat and D. Bol, "Investigation of the Routing Algorithm in a De Bruijn-based NoC for Low-Power Applications", in Proc. *IEEE FTFC Conference*, 4 p., 2013.
- J. De Vos, D. Bol and D. Flandre, "A dual-mode DC/DC converter for ultra-low-voltage microcontrollers", in Proc. *IEEE Subthreshold Microelectronics Conference*, 2 p., 2012.
- F. Botman, D. Bol, C. Hocquet and J.-D. Legat "Data-dependent operation speed-up through automatically-inserted signal transition detectors for ultra-low voltage logic circuits", in Proc. *IEEE Subthreshold Microelectronics Conference*, 2 p., 2012.
- D. Bol, V. Kilchytska, J. De Vos, F. Andrieu and D. Flandre, "Quasi-double gate mode for sleep transistors in UTBB FD SOI low-power high-speed applications", in Proc. *IEEE Int. SOI Conference*, 2p., 2012.
- S. Kerckhof, F. Durvaux, C. Hocquet, D. Bol and F.-X. Standaert, "Towards green cryptography: a comparison of lightweight ciphers from the energy viewpoint, in Proc. *Cryptographic Hardware and Embedded Systems, Lecture Notes in Computer Science*, vol. 7428, pp 390-407, 2012.
- G. de Streel, D. Bol and J.-D. Legat, "Multi-V_T ultra-low-power FPGA implementation in 65nm CMOS technology", in Proc. *Workshop Faible Tension Faible Consommation (FTFC)*, 4 p., 2012.
- D. Bol, J. De Vos, C. Hocquet, F. Botman, F. Durvaux, S. Boyd, D. Flandre and J.-D. Legat, "A 25MHz 7μW/MHz ultra-low-voltage microcontroller SoC in 65nm LP/GP CMOS for low-carbon wireless sensor nodes", in Proc. *IEEE Int. Solid-State Circuits Conf.*, pp. 490-491, 2012.
- D. Bol, S. Bernard and D. Flandre, "Pre-silicon 22/20nm compact MOSFET models for bulk vs. FD SOI low-power circuit benchmarks", in Proc. *IEEE Int. SOI Conference*, 2p., 2011.

- J. De Vos, D. Bol and D. Flandre, "Design methodology for sizing DCDC converters supplying subthreshold circuits", in *Proc. IEEE Subthreshold Microelectronics Conference*, 2 p., 2011.
- C. Hocquet, F. Botman, J.-D. Legat and D. Bol, "A near-threshold instruction cache with zero miss overhead time for dual-Vdd microcontrollers", in *Proc. IEEE Subthreshold Microelectronics Conference*, 2 p., 2011.
- D. Bol, C. Hocquet, J. De Vos, F. Durvaux, F. Botman, D. Flandre and J.-D. Legat, "Design techniques for reliable timing closure in ULV SoCs", in *Proc. IEEE Subthreshold Microelectronics Conference*, 2 p., 2011.
- F. Botman, D. Bol, C. Hocquet and J.-D. Legat "Exploring the Opportunity of Operating a COTS FPGA at 0.5V", in *Proc. IEEE Subthreshold Microelectronics Conference*, 2 p., 2011.
- A. Barengi, C. Hocquet, D. Bol, F.-X. Standaert, F. Regazzoni and I. Koren, "Exploring the feasibility of low cost fault injection attacks on sub-threshold devices through an example of a 65nm AES implementation", in *Proc. RFIDSec Workshop on RFID Security and Privacy*, 14 p., 2011.
- J. De Vos, D. Flandre and D. Bol, "Variability and ripple analysis of an on-chip all-digital AVS system", in *Proc. VARI Workshop on CMOS Variability*, 4 p., 2011.
- D. Bol, S. Boyd and D. Dornfeld: "Application-aware LCA of semiconductors: life-cycle energy of microprocessors from high-Performance 32nm CPU to ultra-low-power 130nm MCU", In *Proc. IEEE Int. Symposium on Sustainable Systems and Technologies*, 6p., 2011.
- G. Gosset, D. Bol, G. Pollissard-Quatremère, B. Rue and D. Flandre: "Disruptive ultra-low-power SOI CMOS circuits towards μ W medical sensor implants", in *Proc. IEEE Int. SOI Conference*, 2p., 2010.
- D. Bol, C. Hocquet, D. Flandre and J.-D. Legat, "The detrimental impact of negative Celsius temperature on ultra-low-voltage logic", in *Proc. European Solid-State Circ. Conf.*, pp. 522-525, 2010.
- D. Kamel, C. Hocquet, F.-X. Standaert, D. Flandre and D. Bol, "Glitch-induced within-die variations of dynamic energy in voltage-scaled nano-CMOS circuits", in *Proc. European Solid-State Circ. Conf.*, pp. 518-521, 2010.
- J. De Vos, D. Bol and D. Flandre, "Dual-mode switched-converter DC-DC converter for subthreshold processor with deep sleep mode", Fringe poster session at the *European Solid-State Circ. Conf.*, 4 p., 2010.
- D. Bol, C. Hocquet, D. Flandre and J.-D. Legat, "Robustness-aware sleep transistor engineering for power-gated nanometer subthreshold circuits", *Proc. IEEE Int. Circuits and Syst. Conf.*, pp. 1484-1487, 2010.
- D. Bol, J. De Vos, D. Flandre and J.-D. Legat, "Ultra-low-power high-noise-margin logic with undoped FD SOI devices," in *Proc. IEEE Int. SOI Conference*, pp. 97-98, 2009.
- D. Kamel, D. Bol, F.-X. Standaert and D. Flandre, "Comparison of Ultra-Low-Power and static CMOS full adders in 0.15 μ m FD SOI CMOS", in *Proc. IEEE Int. SOI Conference*, pp. 125-126, 2009.
- D. Bol, D. Flandre and J.-D. Legat, "Technology flavor selection and adaptive techniques for timing-constrained 45nm subthreshold circuits", in *Proc. IEEE/ACM Int. Symposium Low-Power Electronics and Design*, pp. 21-26, 2009. Acceptance rate: 24%.
- D. Bol, D. Kamel, D. Flandre and J.-D. Legat, "Nanometer MOSFET effects on the minimum-energy point of 45nm subthreshold logic", in *Proc. IEEE/ACM Int. Symposium Low-Power Electronics and Design*, pp. 3-8, 2009. Acceptance rate: 24%.
- C. Hocquet, D. Bol, D. Kamel and J.-D. Legat, "Assessment of 65nm subthreshold logic for smart RFID applications", in *Proc. Workshop Faible Tension Faible Consommation (FTFC)*, 4 p., 2009.
- D. Bol, R. Ambroise, D. Flandre and J.-D. Legat, "Sub-45nm fully-depleted SOI CMOS subthreshold logic for ultra-low-power applications", in *Proc. IEEE Int. SOI Conference*, 2 p., 2008. This poster presentation was awarded as **Best Poster** of the conference.
- D. Kamel, D. Bol and D. Flandre, "Impact of layout style and parasitic capacitances in full adder", in *Proc. IEEE Int. SOI Conference*, 57-58, 2008.
- D. Bol, R. Ambroise, D. Flandre and J.-D. Legat, "Analysis and minimization of practical energy in 45nm subthreshold logic circuits", in *Proc. IEEE Int. Conference Computer Design*, pp. 294-300, 2008. This paper was awarded as **Best Paper** of the conference.
- D. Bol, R. Ambroise, D. Flandre and J.-D. Legat: "Channel length upsize for robust and compact subthreshold SRAM", in *Proc. Workshop Faible Tension Faible Consommation (FTFC)*, pp. 117-120, 2008.
- J. De Vos, D. Bol and D. Flandre: "Cellule SRAM 12 transistors à ultra faible courant de fuite", in *Proc. Workshop Faible Tension Faible Consommation (FTFC)*, pp. 111-115, 2008.

- C. Roda Neve, D. Bol, R. Ambroise, D. Flandre and J.-P. Raskin: "Digital substrate noise reduction by low-power circuit operation and SOI technology", in *Proc. Workshop Faible Tension Faible Consommation (FTFC)*, pp. 23-28, 2008.
- D. Bol, R. Ambroise, D. Flandre and J.-D. Legat: "Impact of technology scaling on digital subthreshold circuits", in *Proc. IEEE Comp. Soc. Int. Conf. VLSI*, pp. 179-184, 2008.
- D. Bol, D. Flandre and J.-D. Legat: "Ultra-Low-Power Logic Style for Low-Frequency High-Temperature Applications", in *Proc. EuroSOI workshop*, pp. 33-34, 2008.
- D. Bol, R. Ambroise, D. Flandre and J.-D. Legat: "Building Ultra-Low-Power Low-Frequency Digital Circuits with High-Speed Devices", in *Proc. IEEE Int. Conf. Electronics, Circuits and Systems*, 4p., 2007.
- D. Bol, R. Ambroise, C. Roda Neve, J.-P. Raskin and D. Flandre: "Wide-Band Characterization and Modeling of Digital Substrate Noise in SOI Technology", in *Proc. IEEE SOI Conference*, pp. 133-134, 2007.
- D. Bol, J.M. Quintana, M.J. Avedillo and J.-D. Legat: "Monostable-bistable transition logic elements: threshold logic vs. boolean logic comparison", in *Proc. IEEE Int. Conf. Electronics, Circuits and Systems*, 4 p., 2006.
- D. Bol, M.J. Avedillo, J.M. Quintana and J.-D. Legat: "MOBILE Digital Circuits based on Negative-Differential-Resistance MOS Structures", in *Proc. Conf. on Design of Circuits and Integrated Systems*, 5 p., 2006.
- G. Meurice de Dormale, R. Ambroise, D. Bol, J.-J. Quisquater and J.-D. Legat: "Low-Cost Elliptic Curve Digital Signature Coprocessor for Smart Cards", in *Proc. IEEE Int. Conf. on Application-specific Systems, Architectures and Processors*, pp. 347-353, 2006.
- Ph. Manet, D. Bol, R. Ambroise, M. Baltus, J. Creteur, L. Demeûs and J.-D. Legat: "High Temperature Characterization of a Low Power HT SOI 80C51", in *Proc. Int. Conf. on High Temperature Electronics (HITEC)*, 2006.
- D. Bol, M.J. Avedillo, J.M. Quintana, D. Flandre and J.-D. Legat: "Investigation of Monostable- Bistable Transition Logic Element Circuit based on Ultra-Low Power Diodes", in *Proc. EuroSOI workshop*, pp. 51-52, 2006.
- Ph. Manet, D. Bol, R. Ambroise and J.-D. Legat: "Low Power Techniques applied to a 80C51 Microcontroller for High Temperature Applications", in *Proc. Int. Workshop on Power and Timing Modelling, Optimization and Simulation*, 2005.
- Ph. Manet, R. Ambroise, D. Bol, M. Baltus, L. Demeûs and J.-D. Legat: "Low Power 80C51 Microcontroller in SOI High Temperature Technology", in *Proc. Int. Conf. on High Temperature Electronics (HITEN)*, 2005.
- Ph. Manet, R. Ambroise, D. Bol and J.-D. Legat: "Réalisation d'un microcontrôleur 80C51 basse consommation pour applications haute température", in *Proc. Workshop Faible Tension Faible Consommation (FTFC)*, pp. 171-176, 2005.

WORK IN PROGRESS

- C. Frenkel, J.-D. Legat and D. Bol: " A 0.086-mm² 9.8-pJ/SOP 64k-Synapse 256-Neuron Online-Learning Digital Spiking Neuromorphic Processor in 28nm CMOS", [arXiv:1804.07858](https://arxiv.org/abs/1804.07858), 9 p., 2018.